



# Waste Discharge Self Monitoring Report

Company Name Alaskan Copper Works Month April No. of Employees (per day) Average \_\_\_\_\_ Maximum \_\_\_\_\_  
 Permit No. 7201 Station No. \_\_\_\_\_ Site No. \_\_\_\_\_ All units mg/l unless otherwise noted Industry Type \_\_\_\_\_

Mail to: Metro, Industrial Waste  
 130 Nickerson St., Suite 200,  
 Seattle, WA 98109-1658

Sample Dates (circle)	Sample Type C (composite) or G (grab)	pH		Cadmium, Cd	Chromium, Cr	Copper, Cu	Lead, Pb	Mercury, Hg	Nickel, Ni	Silver, Ag	Zinc, Zn	Cyanide, O.N.A.	Cyanide, C.N.T.	Fats, Oils and Grease (FOG)	Total Toxic Organics (TTO)	Other Parameters	Flow (GPD) Total	Flow (GPD) Industrial	Flow (GPD) Specify	Notes
		Min	Max																	
1																				
2																				
3																				
4																				
5																				
6																				
7																				
8																				
9																				
10																				
11																				
12																				
13																				
14																				
15																				
16																				
17																				
18																				
19																				
20																				
21																				
22																				
23																				
24																				
25																				
26																				
27																				
28																				
29																				
30																				
31																				
Min.																				
Max.																				
Average																				

Please circle all permit violations

Additional Comments \_\_\_\_\_

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

5/14/98

Signature of Principal Executive or Authorized Agent



# Waste Discharge Self Monitoring Report

Company Name Alaskan Copper Works Month April No. of Employees (per day) Average \_\_\_\_\_ Maximum \_\_\_\_\_  
 Permit No. 7238 Station No. \_\_\_\_\_ Site No. \_\_\_\_\_ All units mg/l unless otherwise noted Industry Type \_\_\_\_\_

Mail to: Metro, Industrial Waste  
 130 Nickerson St., Suite 200,  
 Seattle, WA 98109-1658

Sample Dates (circle)	Sample Type C (composite) or G (grab)	pH		Cadmium, Cd	Chromium, Cr	Copper, Cu	Lead, Pb	Mercury, Hg	Nickel, Ni	Silver, Ag	Zinc, Zn	Cyanide, CN, A	Cyanide, CN, T	Fats, Oils and Grease (FOG)	Total Toxic Organics (TTO)	Other Parameters	Flow (GPD) Total	Flow (GPD) Industrial	Flow (GPD) Specific	Notes
		Min	Max																	
1		9.7	10.4														21760	2390		
(2)	C	9.7	10.5	.50	.29	.47	.05										22002	2632		
3		10.0	10.3														21139	1769		
4		—	—														—	—		
5		—	—														—	—		
6		9.6	9.9														21729	2359		
7		9.6	9.6														20482	1112		
8		9.8	10.0														20243	873		
(9)	G	10.0	10.2	.25	.19	.22	.05										20401	1031		
(10)	C	9.8	9.9	.50	.48	.54	.06										20967	1597		
11		—	—														—	—		
12		—	—														—	—		
13		9.5	9.8														21117	1747		
14		9.3	9.5														21213	1843		
15		9.4	9.6														21141	1771		
(16)	C	9.7	9.9	.22	.27	.35	.06										20868	1498		
17		9.6	9.9														20524	1154		
18		—	—														—	—		
19		—	—														—	—		
20		9.4	9.4														20648	1278		
21		9.4	9.9														20295	925		
22		9.9	10.3														20650	1280		
23		10.3	11.9														20838	1468		
(24)	C	9.9	10.1	.53	.70	.51	.12										20952	1582		
25		—	—														—	—		
26		—	—														—	—		
27		9.5	10.5														21344	1974		
28		9.3	10.5														21314	1944		
29		9.3	9.4														21176	1806		
(30)	C	9.4	10.4	.67	.52	1.1	.17										21736	2366		
31		—	—														—	—		
Min.		9.3	9.4														20243	873		
Max.		10.0	11.9														22002	2632		
Average		9.6	10.0														21024	1654		

Please circle all permit violations

Additional Comments \_\_\_\_\_

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly responsible for gathering the information, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

  
Signature of Principal Executive or Authorized Agent

5/14/98  
Date